STOP-N-SHOP @ BISHOP - 102 W. MAIN

Date: September, 16 2021

Occupancy:

Score: 77

| Points Deducted | Food Safety Requirements | Corrective Action | Corrected during Inspection |
|-----------------|---|---|-----------------------------|
| 3 | 9. Food Separated & protected, prevented during food preparation, storage, display, and tasting | Do not store foods directly on dirty floor | No |
| 3 | 18. Toxic substances properly identified, stored and used | Cleaners need to be stored properly when not in use | No |
| 2 | 21. Person in charge present, demonstration of knowledge, and | Need CFM onsite | No |

| | perform duties/ | | |
|---|-------------------------|-----------------------|----|
| | Certified Food | | |
| | Manager (CFM) | | |
| 2 | 22. Food Handler/ no | No show of employee | No |
| | unauthorized persons/ | food handlers on site | |
| | personnel | | |
| 2 | 28. Proper Date | Make sure dates are | No |
| | Marking and | on all pizza products | |
| | disposition | | |
| 2 | 29. Thermometers | Missing thermometers | No |
| | provided, accurate, | in coolers | |
| | and calibrated; | | |
| | Chemical/ Thermal | | |
| | test strips | | |
| 2 | 31. Adequate | Missing hand soap at | No |
| | handwashing facilities: | hand washing station | |
| | Accessible and | | |
| | properly supplied, | | |
| | used | | |
| 2 | 32. Food and Non- | Coke shelves need to | No |

| | food Contact surfaces | be cleaned and | |
|---|-------------------------|-------------------------|----|
| | cleanable, properly | window ledges need | |
| | designed, constructed, | to be cleaned also | |
| | and used | built up dust along all | |
| | | windows | |
| 1 | 34. No Evidence of | Gnats and roaches | No |
| | Insect contamination, | present need to call | |
| | rodent/other animals | pest control | |
| 1 | 37. Environmental | Need to store drinks | No |
| | contamination | above 6 inches | |
| 1 | 42. Non-Food Contact | Walls and counter | No |
| | surfaces clean | near drink station full | |
| | | of dust | |
| 1 | 45. Physical facilities | Clean area in back | No |
| | installed, maintained, | near ice machine and | |
| | and clean | clean ice machine too | |
| 1 | 46. Toilet Facilities; | Missing soap in | No |
| | properly constructed, | restrooms and | |
| | supplied, and clean | covered trash can in | |
| | | women's restroom | |
| | | | |

Inspector Signature:

Location

Representative

Signature:

No Signature on File.



Emily Roldan, 09/16/2021

Data supported/hosted by Inspecthub.com